

# CWH5 MICROSCOPE CAMERA WITH MEASUREMENTS FULL HD 5MP (SD/WIFI/HDMI)



SKU: 149320C



# FHD CMOS CAMERA WITH MEASURING AND IMAGE PROCESSING SOFTWARE

**C-WH5** – **Full-HD C-mount microscope camera** equipped with SD card for image/video internal storage, HDMI output connection, WiFi output connection, Sony CMOS high-quality sensor, HDMIPRO software.

Smart and user-friendly **multi-brand** camera with a powerful built-in software and good image resolution (**up to 5MP**). Recommended for routine operations and whenever measurements are required.

Compatible with SLX5 trinocular microscope, by adding the M620 C-Mount adapter (NOT included).

**Package content**: Camera – SD card (16GB) - Power supply – Calibration slide – HDMI cable (1.5m) – Wireless mouse – Wi-Fi adapter.

## **General specifications**

- Camera resolution: 2592 x 1944 p, Full HD
- Top-class, Sony CMOS sensor ensures beautiful true-to-life colours and high quality images, rich in contrast and detail
- Image capture / Video recordings on SD card: Yes
- Output: WiFi / HDMI
- Image processing built-in software: HDMIPRO



- It can be connected to PC at any time and used via the downloadable, free of charge **PROVIEW** software (Windows), always available to enable the latest updates
- Does not require software installation for image/video capturing on SD card when in HDMI mode
- Operating system: OS Windows
- C-Mount: Yes Universal connection to any microscope brand
- Power plug type: Multiplug (EU, UK, US)
- Input voltage: 100/240 Vac, 50/60 Hz
- Output voltage: 12 Vdc, 1000 mA
- Dimensions: 65 x 78 x 88 mm.

#### Sensor

## click here to read Sensor

- Camera resolution (WxH): 2592 x 1944 pixels
- Mode: Colour
- Sensor size: 1/1.8"
- Sensor technology: CMOS
- Sensor type: SONY
- Image format: 16/9
- Pixel size: 2.4 x 2.4 mm
- Color depth: 1, 4, 8, 24 Bit
- Exposure time: 0.03 msec 918 msec
- Binning: 1 x 1
- IR filter range (IR CUT): 380-650 nm.

#### HDMI

## click here to read HDMI

- HDMI resolution: 2 MP
- Live HDMI measurement: Yes
- Speed max.: 60@1920×1080 fps
- Exposure: Auto / Manual
- White Balance: Auto / Manual / ROI.

#### WiFi

## click here to read WiFi

- WiFi resolution: 5 MP
- WiFi frame rate full resolution: 25@1920\*1080 fps
- WiFi speed: 802.11n, 150 Mbps
- WiFi signal From the camera
- WiFi signal ready: About 10 seconds after turning on.

#### HDMIPRO Software specifications\*



# click here to read HDMILITE

- Archiving: Yes
- Languages: Chinese, English, French, German, Italian, Japanese, Korean, Thai
- Image acquisition: Image/video saving in multiple formats Continuous automatic exposure Manual exposure Color acquisition Numerical focus indicator White balance (Auto/Manual/ROI) Image enhancement Zoom in Zoom out Image comparison Browse of images and video Picture in picture (PIP) Freeze image Horizontal flip Verical Flip
- Image processing: HDR (High Dynamic Range) Text Overlay Ruler Overlay Arrow Overlay Measurement Overlay Grids
- Measurements: Live measurement Still image measurement Select measurement unit Available measurements Line Angle Parallel lines Rectangle Ellipse Circle Annulus Curve Arc Polygon Export to Excel.

\* ATTENTION: More functions are available by connecting the camera to a PC on which is installed the free of charge, downloadable PROVIEW software.